

Table 1 Number of cases and prevalence of diabetes mellitus (DM), impaired fasting glucose (IFG), impaired glucose tolerance (IGT) or either by age and sex

Sex and age group (years)	DM				IGT				IFG			Either IFG/IGT		
	Prevalence		Prevalence adjusted to non-response	New cases of diabetes	Prevalence		Prevalence adjusted to non-response	Prevalence		Prevalence adjusted to non-response	Prevalence		Prevalence adjusted to non-response	
	No.	%	%	No.	No.	%	%	No.	%	%	No.	%	%	
<i>Men</i>														
35–44 (<i>n</i> = 34)	1	2.9	2.9	1	2	5.9	5.7	0	0.0	0.0	2	5.9	5.7	
45–54 (<i>n</i> = 21)	1	4.8	3.3	1	0	0.0	0.0	1	4.8	3.3	1	4.8	3.3	
55–64 (<i>n</i> = 26)	3	11.5	8.6	1	6	23.0	17.0	1	3.8	2.9	7	26.9	20.0	
65+ (<i>n</i> = 42)	7	16.7	16.3	3	8	19.0	18.6	0	0.0	0.0	8	19.0	18.6	
All ages (<i>n</i> = 123)	12	9.8	8.4	6	16	13.0	11.2	2	1.6	1.4	18	14.6	12.6	
Age-standardized prevalence ^a (95% CI)	3.5% (2.6%–4.4%)			4.6% (3.1%–6.1%)				1.0% (0.0%–1.6%)			5.7% (2.8%–8.6%)			
<i>Women</i>														
35–44 (<i>n</i> = 54)	5	9.3	9.3	2	4	7.4	7.4	2	3.7	3.7	6	11.0	11.0	
45–54 (<i>n</i> = 43)	3	7.0	7.0	2	4	9.3	9.3	4	9.3	9.3	8	18.6	18.6	
55–64 (<i>n</i> = 19)	4	21.0	15.4	3	2	10.5	7.7	1	5.3	3.9	3	15.8	11.5	
65+ (<i>n</i> = 11)	2	18.2	9.0	1	2	18.2	9.0	0	0.0	0.0	2	18.2	9.0	
All ages (<i>n</i> = 127)	14	11.0	9.7	8	12	9.5	8.3	7	5.5	4.8	19	15.0	13.0	
Age-standardized prevalence ^a (95% CI)	8.6% (7.4%–9.8%)			6.8% (5.5%–8.0%)				4.2% (3.3%–5.0%)			10.9% (7.1%–14.7%)			
<i>Men and women</i>														
35–44 (<i>n</i> = 88)	6	6.8	6.7	3	6	6.8	6.7	2	2.3	2.2	8	9	9.0	
45–54 (<i>n</i> = 64)	4	6.3	5.5	3	4	6.3	5.5	5	7.8	6.8	9	14.0	12.3	
55–64 (<i>n</i> = 45)	7	15.6	11.5	4	8	17.8	13.0	2	4.4	3.3	10	22.0	16.4	
65+ (<i>n</i> = 53)	9	17.0	13.8	4	10	18.9	15.4	0	0.0	0.0	10	18.9	15.4	
All ages (<i>n</i> = 250)	26	10.4	9.0	14	28	11.2	9.7	9	3.6	3.0	37	14.8	12.8	
Age-standardized prevalence ^a (95% CI)	6.3% (5.4%–7.2%)			6.0% (5.0%–7.0%)				2.8% (1.9%–3.8%)			9.0% (6.0%–12.0%)			

^aAge-standardized prevalence (%) for age range (30–64 years) using the world population as the standard [Source: 17, 18].

n = number of participants; CI = confidence interval.