

Table 3 Prevalence of overweight and stunting in different subgroups by country

Variable	Libyan Arab Jamahiriya		Syrian Arab Republic		Morocco		Djibouti		Yemen	
	Overweight	Stunting	Overweight	Stunting	Overweight	Stunting	Overweight	Stunting	Overweight	Stunting
	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)
Residence										
Urban	796 (13.2)	940 (17.2)	335 (20.2)	440 (26.5)	440 (16.0)	442 (16.1)	102 (9.2)	285 (26.4)	140 (6.2)	1099 (49.0)
Suburban	–	–	161 (17.8)	256 (28.3)	–	–	28 (13.1)	54 (25.4)	–	–
Rural	167 (14.3)	280 (26.5)	604 (20.9)	908 (31.5)	392 (14.9)	745 (28.3)	7 (11.9)	18 (30.0)	836 (9.6)	5198 (59.9)
Sex										
Male	500 (13.9)	645 (19.9)	613 (21.9)	910 (32.5)	475 (17.8)	631 (23.6)	85 (12.3)	193 (27.9)	526 (9.3)	3298 (58.3)
Female	463 (12.9)	575 (17.5)	487 (18.4)	694 (26.2)	357 (13.2)	556 (20.5)	52 (7.9)	164 (24.8)	449 (8.5)	2999 (57.0)
Socioeconomic class										
Privileged	87 (12.7)	93 (15.1)	311 (21.3)	518 (35.5)	209 (15.6)	374 (27.9)	65 (10.6)	136 (22.2)	333 (8.5)	2369 (60.8)
Intermediate	559 (13.7)	657 (17.6)	366 (20.2)	531 (29.4)	316 (14.0)	543 (24.0)	21 (9.5)	54 (24.7)	373 (10.3)	2215 (61.4)
Under-privileged	317 (13.2)	470 (21.6)	422 (19.4)	553 (25.4)	299 (17.1)	264 (15.1)	52 (9.9)	167 (32.2)	261 (7.7)	1686 (49.9)
Age (years)										
≤ 1	201 (15.5)	246 (20.7)	138 (15.6)	218 (24.6)	181 (17.3)	171 (16.3)	19 (9.3)	39 (18.9)	214 (9.5)	731 (32.3)
> 1–≤ 2	289 (20.5)	299 (23.2)	54 (26.1)	358 (36.7)	22 (21.1)	269 (25.6)	34 (11.9)	93 (32.5)	222 (10.5)	1241 (58.6)
> 2–≤ 3	212 (14.6)	257 (19.7)	303 (25.0)	442 (36.5)	202 (19.4)	299 (28.7)	30 (10.3)	89 (30.5)	212 (9.8)	1455 (67.4)
> 3–≤ 4	151 (9.2)	257 (17.2)	257 (20.9)	361 (29.3)	147 (12.5)	273 (23.2)	29 (10.2)	78 (27.6)	190 (8.5)	1497 (66.8)
> 4–≤ 5	109 (8.0)	161 (12.9)	148 (12.9)	225 (19.5)	79 (7.5)	175 (16.5)	25 (8.8)	59 (20.7)	137 (6.4)	1374 (64.1)