

Table 1 Background characteristics of patients with major depression and non-depressed controls and their correlation with total scores on the Depression Inventory, Arabic version (MDI-A)

| Variable | Patients (n = 50) | Controls (n = 50) | χ^2 -test | Total (n = 100) | Correlation with MDI-A total scores | |
|-----------------------|----------------------|----------------------|----------------|--------------------|-------------------------------------|---------|
| | No. | No. | P-value | No. | Spearman ρ | P-value |
| Sex | | | | | | |
| Male | 19 | 20 | | 39 | 0.176 | 0.08 |
| Female | 31 | 30 | 0.84 | 61 | | |
| Age (years) | | | | | | |
| ≥ 40 | 32 | 32 | 1.00 | 64 | 0.197 | 0.049 |
| < 40 | 18 | 18 | | 36 | | |
| Mean (SD) | 39.6 (7.1) | 40.9 (8.5) | 0.41* | 42.0 (8.6) | | |
| Social class | | | | | | |
| High/middle | 24 | 22 | | 46 | 0.071 | 0.48 |
| Low/very low | 26 | 28 | 0.69 | 54 | | |
| Marital status | | | | | | |
| Unmarried | 21 | 24 | | 45 | 0.031 | 0.76 |
| Married | 29 | 26 | 0.55 | 55 | | |
| Education | | | | | | |
| Basic | 18 | 19 | | 57 | 0.649 | 0.42 |
| Higher than basic | 32 | 31 | 0.84 | 43 | | |
| Work status | | | | | | |
| Employed | 27 | 29 | | 56 | 0.169 | 0.09 |
| Unemployed | 23 | 21 | 0.69 | 44 | | |
| Residence | | | | | | |
| Rural | 18 | 16 | | 34 | 0.040 | 0.69 |
| Urban | 32 | 34 | 0.67 | 66 | | |

*t-test.

SD = standard deviation.