

Table I Distribution of various dermatoses by age and sex of the studied patients (n = 633)

Type of dermatosis	1-3 years				4-7 years				8-12 years				All ages	
	M	F	Total		M	F	Total		M	F	Total		No.	%
	No.	No.	No.	%	No.	No.	No.	%	No.	No.	No.	%		
Infectious (32.3%)														
Fungal														
Tinea: pedis, capitis, corporis, unguium	6	4	10	15	2	10	12	1.8	7	10	17	2.6	39	5.9
Pityriasis versicolor	4	4	8	12	8	4	12	1.8	5	0	5	0.8	25	3.8
Candidiasis	3	6	9	13	2	2	4	0.6	6	5	11	1.7	24	3.6
Total	13	14	27	4.0	12	16	28	4.2	18	15	33	5.1	88	13.3
Parasitic														
Scabies	10	0	10	15	2	4	6	0.9	6	6	12	1.8	28	4.2
Pediculosis	5	6	11	17	9	0	9	1.3	0	4	4	0.6	24	3.6
Cutaneous leishmaniasis	0	2	2	0.3	4	2	6	0.9	5	0	5	0.8	13	2.0
Total	15	8	23	3.5	15	6	21	1.3	11	10	21	3.2	65	9.8
Viral														
Warts	0	6	6	0.9	2	2	4	0.6	0	4	4	0.6	14	2.1
Molluscum contagiosum	2	2	4	0.6	1	5	6	0.9	0	0	0	-	10	1.5
Herpetic stomatitis	0	0	0	-	6	0	6	0.9	2	0	2	0.3	8	1.2
Chickenpox	2	0	2	0.3	0	0	0	-	0	0	0	-	2	0.3
Total	4	8	12	1.8	9	7	16	2.4	2	4	6	0.9	34	5.1
Bacterial														
Impetigo	0	1	1	0.1	2	5	7	1.1	0	7	7	1.1	15	2.3
Boil	2	0	2	0.3	4	2	6	0.9	0	0	0	-	8	1.2
Cellulitis	0	0	0	-	0	0	0	-	4	0	4	0.6	4	0.6
Total	2	1	3	0.4	6	7	13	2.0	4	7	11	1.7	27	4.1
Eczematous (21.9%)														
Atopic dermatitis	20	14	34	5.1	16	11	27	4.1	10	18	28	4.2	89	13.4
Contact dermatitis	0	7	7	1.1	10	8	18	2.7	1	5	6	0.9	31	4.7
Seborrhoeic dermatitis	5	0	5	0.8	1	0	1	0.1	6	6	12	1.8	18	2.7
Pityriasis alba	0	2	2	0.3	0	5	5	0.8	0	0	0	-	7	1.1
Total	25	23	48	7.3	27	24	51	7.7	17	29	46	6.9	145	21.9