

**Table 1 Women's knowledge about transmission of HIV and manifestations of AIDS**

Women's knowledge	Yes		No		Uncertain	
	No.	%	No.	%	No.	%
<b><i>Mode of transmission</i></b>						
Sexual contact	971	97.1	12	1.2	17	1.7
Blood transfusion	959	95.9	10	1.0	31	3.1
Contaminated syringes	914	91.4	18	1.8	68	6.8
Mother to fetus	866	86.6	38	3.8	96	9.6
Breastmilk	459	45.9	214	21.4	327	32.7
Kissing	400	40.0	408	40.8	192	19.2
Casual contact	264	26.4	657	65.7	79	7.9
Kissing of infants	224	22.4	548	54.8	228	22.8
Food and drinks	194	19.4	727	72.7	81	8.1
<b><i>Population group at risk</i></b>						
People who inject drugs and sex workers are at risk	866	86.6	41	4.1	93	9.3
Woman is infected if husband is infected	514	51.4	348	34.8	138	13.8
<b><i>Manifestation of AIDS</i></b>						
Impaired immunity	850	85.0	11	1.1	139	13.9
Weakness/lethargy	793	79.3	16	1.6	191	19.1
Weight loss	703	70.3	46	4.6	251	25.1
Frequent skin eruption/blisters	636	63.6	56	5.6	308	30.8
Herpetic eruptions	467	46.7	50	5.0	483	48.3
Chronic diarrhoea	453	45.3	88	8.8	459	45.9
Chronic cough	359	35.9	119	11.9	522	52.2