

Table 2 Prevalence of tobacco smoking and its variation with sociodemographic characteristics

	Total	Smoking no. (%)	P	COR (95% CI)
Overall	663	168 (25.3)		(22.02–28.7)
Age (years)				
60–70	355	94 (26.5)		1(r)
70–80	214	50 (23.4)	0.4	0.8 (0.6–1.3)
>80	94	24 (25.5)	0.9	0.95 (0.6–1.6)
Sex				
Female	357	44(12.3)	£	1(r)
Male	306	124(40.5)		4.8 (3.3–7.2)
Marital status				
Divorced/single	40	6 (15.0)		1(r)
Married	493	136 (27.6)	0.1	2.2 (0.9–5.3)
Widow	130	26 (20.0)	0.5	1.4 (0.5–3.7)
Level of education				
Secondary and above	235	47 (20.0)		1(r)
Less than secondary	178	32 (18.0)	0.6	0.9 (0.5–1.4)
Illiterate	250	89 (35.6)	£	2.2 (1.5–3.3)
Residence				
Rural	443	83 (18.7)		1(r)
Urban	220	85 (38.6)	£	2.7 (1.9–3.9)
Living condition				
Alone	32	10 (31.2)		1(r)
With family	631	158 (25.0)	0.4	0.7 (0.3–1.6)
Religiosity				
High	289	42 (14.5)		1(r)
Low	374	126 (33.7)	£	3.0 (2.0–4.4)
Currently working				
No	619	150 (24.2)		1(r)
Yes	44	18 (40.9)	0.014	2.2 (1.2–4.1)
Income				
Adequate	324	76 (23.5)		1(r)
Not adequate	188	58 (30.9)	0.1	1.5 (0.97–2.2)
More than adequate	151	34 (22.5)	0.5	0.9 (0.6–1.5)
Socioeconomic status				
Very low	150	34 (22.7)		1(r)
Low	151	35 (23.2)	0.9	1.03 (0.6–1.8)
Middle	214	56 (26.2)	0.4	1.2 (0.7–2.0)
High	148	43 (29.3)	0.2	1.4 (0.8–2.4)
Smoking family member				
No	342	64 (18.7)		1(r)
Yes	321	104 (32.4)	£	2.1 (1.5–3.0)

COR=crude odds ratio

CI=Confidence interval