

Table 5 Regression results of provider being a reuser

	Unstandardized coefficients		Standardized coefficients	95% CI for B		Sig	Exp(B) (AOR)	95% CI for AOR	
	B	SE	β	Lower Bound	Upper Bound			Lower bound of AOR	Upper bound of AOR
(Constant)	0.405	0.752		-1.110	1.919	0.593	1.499	0.330	6.816
Urban/rural	0.086	0.188	0.075	-0.292	0.464	0.649	1.090	0.747	1.591
District	-0.522	0.194	-0.434	-0.914	-0.130	0.010	0.593	0.401	0.878
Age of doctor	0.009	0.017	0.183	-0.025	0.044	0.581	1.009	0.976	1.045
Sex of doctor	0.035	0.059	0.078	-0.085	0.155	0.558	1.036	0.919	1.168
Year since last degree was completed	-0.008	0.016	-0.172	-0.040	0.023	0.592	0.992	0.961	1.023
How long you have been practicing at this clinic	-0.006	0.003	-0.255	-0.011	0.000	0.043	0.994	0.989	1.000
No. of patients examined yesterday	-0.011	0.006	-0.363	-0.022	0.001	0.079	0.989	0.978	1.001
No. of injections prescribed	0.089	0.056	1.621	-0.025	0.203	0.123	1.093	0.975	1.224
No. of intramuscular injections given yesterday	-0.061	0.053	-0.882	-0.167	0.046	0.257	0.941	0.846	1.047
No. of intravenous injection given yesterday	-0.064	0.055	-0.471	-0.174	0.047	0.252	0.938	0.840	1.048
No. of intravenous drips given yesterday	0.012	0.042	0.038	-0.073	0.097	0.776	1.012	0.930	1.102
Reuse of injections observed	-0.027	0.219	-0.015	-0.470	0.415	0.902	0.973	0.625	1.514
Reuse reported by the patient	-0.087	0.273	-0.044	-0.638	0.464	0.751	0.917	0.528	1.590
Physician/prescriber fee	-0.001	0.001	-0.058	-0.003	0.002	0.663	0.999	0.997	1.002

Values in bold are significant. AOR = adjusted odds ratio; CI = confidence interval; SE = standard error; Sig = significance.