

Table 2 Comparison of the utilization of key RMNCH services between 2019 and 2020 in Pakistan

RMNCH indicators	No. of users May 2019	No. of users May 2020	% change	No. of users Dec 2019	No. of users Dec 2020	% change
Pre-pregnancy						
Family planning visits	211 891	141 057	-33.4	202 894	163 751	-19.3
Pregnancy						
ANC-1	541 815	325 733	-39.9	493 219	389 620	-21.0
TT2 vaccine	372 132	233 667	-37.2	302 944	244 316	-19.4
Delivery						
Institutional Deliveries	151 939	108 100	-28.9	70 607	61 350	-13.1
C-section	19 149	10 761	-43.8	25 318	16 360	-35.4
Postnatal						
PNC-1	188 067	127 460	-32.2	203 938	189 889	-6.9
Infancy and childhood						
Children <12 mo received 3rd pentavalent vaccine*	361 631	231 859	-35.9	379 733	384 716	1.3
Reported cases of pneumonia <5 yr	96 498	42 450	-56.0	168 091	95 413	-43.2
Reported cases of diarrhoea <5 yr	671 067	381 061	-43.2	473 716	353 729	-25.3
Pneumonia <5 yr inpatient treatment	8737	4202	-51.9	20 099	6251	-68.9

*Vaccine used by the Expanded Program on Immunization in Pakistan to protect against diphtheria, pertussis, tetanus, hepatitis B and Haemophilus influenzae type B. ANC-1 = first antenatal care visit; PNC-1 = first postnatal care visit; RMNCH = reproductive, maternal, newborn and child health; TT2 = second dose of tetanus toxoid.