

Table 5 Parameters with significant correlation in the Nordic test according to certain characteristics of the patients and the parents

Parameter		Parental age	Parental education level	Duration of illness	Respiratory support	Nutritional support	Spouse assistance
Shoulder pain in last 12 months	r_s	-0.067	0.044	0.549	-0.290	0.342	-0.119
	P-value	0.798	0.866	0.023*	0.259	0.179	0.648
Shoulder pain in last 1 month	r_s	0.013	-0.258	0.496	-0.310	0.240	-0.099
	P-value	0.960	0.317	0.043*	0.226	0.354	0.704
Shoulder pain today	r_s	0.040	-0.030	0.536	-0.203	0.304	-0.171
	P-value	0.878	0.910	0.027*	0.434	0.236	0.512
Back pain today	r_s	-0.127	-0.314	0.038	-0.215	-0.047	0.271
	P-value	0.422	0.043*	0.810	0.171	0.766	0.083
Back pain intensity	r_s	0.081	0.321	-0.090	0.060	0.065	-0.151
	P-value	0.612	0.038*	0.570	0.704	0.683	0.340
Elbow pain in last 12 months	r_s	-0.176	0.300	0.820	-1.000	-1.000	-0.400
	P-value	0.705	0.513	0.024*	.	.	0.374
Wrist pain in last 12 months	r_s	0.263	0.031	0.525	-0.270	-0.358	0.048
	P-value	0.325	0.908	0.037*	0.312	0.174	0.861
Wrist pain in last 1 month	r_s	0.439	-0.157	0.594	-0.016	-0.098	0.048
	P-value	0.089	0.560	0.015*	0.953	0.719	0.861
Wrist pain today	r_s	-0.297	0.101	0.207	-0.764	-0.522	-0.153
	P-value	0.263	0.709	0.442	0.001*	0.038*	0.572
Wrist pain intensity	r_s	0.204	0.689	0.193	0.085	-0.101	0.275
	P-value	0.449	0.003*	0.475	0.755	0.709	0.303
Back pain today	r_s	0.039	-0.344	0.355	-0.208	-0.103	0.045
	P-value	0.803	0.024*	0.019*	0.181	0.513	0.773
Knee pain in last 1 month	r_s	0.154	-0.377	0.158	-0.440	-0.067	0.472
	P-value	0.504	0.092	0.493	0.046*	0.772	0.031*
Ankle pain in last 12 months	r_s	0.099	0.050	0.475	-0.342	-0.403	-0.014
	P-value	0.697	0.843	0.047*	0.165	0.098	0.956

Parameters with no correlation are not presented.

r_s = Spearman correlation coefficient.

* $P \leq 0.05$.