


CURRENT SITUATION


Somalia is affected by multiple hazards throughout the year. While the country has had limited time to fully recover from them, the response to these hazards has been negatively affected by the coronavirus disease 2019 (COVID-19) pandemic. So far, severe drought has been reported in 47 districts, of which 13 are targeted for the Anticipatory Action and Rapid Response under the Central Emergency Response Fund (CERF), which aims to prevent disease outbreaks in these districts.

Drought has led to the shortage of safe water and poor hygiene and sanitation among the affected populations, leading to more people being vulnerable to epidemic-prone diseases, particularly diarrhoeal disease and measles.

DROUGHT KEY FACTS




Reported suspected cases of acute diarrhoeal disease, measles and malaria in drought-affected districts of Somalia, epidemiological weeks 1 January to 22 August 2021



HEALTH SITUATION

32-33, 9 - 22 August 2021



The Federal Ministry of Health and WHO monitor the trends of epidemic-prone diseases in drought-affected districts using the electronic-based EWARN. With support from the CERF and the World Bank, and in collaboration with state ministries of health, WHO is implementing activities aimed at preventing disease outbreaks, including the timely detection and response to alerts of epidemic-prone diseases reported among high-risk communities.

Cholera in drought affected districts

Recurrent cholera outbreaks have been reported in the drought-affected districts of Somalia since 2017, with no interruption in transmission in most of the districts. Since epidemiological week 1 of 2021, a total of 2933 suspected cases of cholera, including 28 deaths (with a case fatality rate (CFR) 0.9%), were reported from 47 drought-affected districts. Of the 2933 cases of cholera, 94% (2757) are children aged below 5 years, while 50% (1466) are female. The districts reporting most of the cases are Daynile (616), Baydhawa (498) and Wadajir (531) (see Table 1). Of the 623 stool samples collected and analysed, 446 (71.6%) samples tested positive for *Vibrio cholerae* 01 serotype Ogawa. Culture and sensitivity studies conducted in the National Public Health Laboratory in Mogadishu showed that the *V. Cholerae* Serotype Ogawa isolated is sensitive to chloramphenicol and tetracycline but resistant to ampicillin and nalidixic acid.


ACUTE DIARRHOEAL DISEASES

The number of new cases of acute diarrhoeal disease decreased in 2021, as compared to the previous years. This reduction in cases is linked to the implementation of additional Water Sanitation and Hygiene (WASH) interventions in drought-affected districts. Since epidemiological week 1 of 2021, a total of 51 760 cases of acute diarrhoeal disease have been reported from drought-affected districts through the EWARN. The districts reporting most of the cases are Baaydhawa, Marka and Daynile (see Table 1).

MEASLES UPDATES

The number of suspected cases of measles have decreased in 2021 compared to the previous years (see Fig. 2). This reduction in cases is linked to an increase in measles vaccination coverage of children aged below 5 years of age (see Fig. 4). Since epidemiological week 1 of 2021, a total of 2090 suspected cases of measles have been reported from 47 drought-affected districts. The districts reporting the most cases include Baaydhawa, Marka and Daynile (see Table 1). Of the 403 blood samples collected and analysed in the laboratories, 369 (91.4%) tested positive for measles-specific immunoglobulin M (IgM).

Fig. 4. Number of children under 1 year of age vaccinated against measles by month, 2018-2021



A total of 39 213 (74%) out of the targeted 53 239 children aged under 1 year received the first dose of measles-containing vaccine (MCV1) in drought-affected districts in June 2021 (see Fig. 3). From June 2018 to June 2021, the measles vaccination coverage ranged between 58% and 84% per month.

POLIO UPDATES

o No new circulating vaccine-derived poliovirus type 2 (cVDPV2) case was reported since October 2020. However, cVDPV2 was isolated from an environmental sample collected in Banadir on 23 May 2021.

o 194 acute flaccid paralysis (AFP) cases (80 female and 114 male) have been reported in 2021. Of these, laboratory test results are available for 152 (78%) cases while the laboratory test results are pending for the remaining 42 (22%) cases.

MALARIA UPDATES

The number of new confirmed cases of malaria decreased in 2021 compared to the previous years (See Fig 3).

The reduction in the number of malaria cases is linked to the improved implementation of malaria preventive interventions in various districts.

Since epidemiological week 1 of 2021, a total of 1837 cases have been reported from 42 drought-affected districts (see Table 1). The districts reporting most of the cases are Beletweyne, Daynile, Doolow, Baaydhawa and Marka. Plasmodium Falciparum malaria species accounts for 50% of all the reported malaria cases.

Fig. 1. Trends of acute diarrhoeal disease cases reported in drought-affected districts of Somalia,

32-33, 9 - 22 August 2021



51 760
Acute diarrhoea cases




Fig. 2. Trends of measles cases reported in drought-affected districts of Somalia, 2019-2021

32-33, 9 - 22 August 2021



2 090
Measles cases




Fig. 4. Trends of suspected malaria cases in drought-affected districts of Somalia, 2018-2021

32-33, 9 - 22 August 2021



2 326
Malaria cases




Table 1. Cumulative numbers of diarrhoeal disease, measles, and malaria cases in drought-affected districts of Somalia (epidemiological weeks 1 January- 22 August 2021 January to-33(1 January to)

Regions	Districts	Acute diarrhoeal disease	Measles cases	Malaria cases	Cholera cases
Banadir	Daynile	8 177	367	348	616
	Hawal Wadag	65	1	0	85
	Hodan	66	7	0	476
	Kaxda	303	24	14	156
	Madina	306	24	1	531
	Waberi	580	48	0	56
	Yaqshid	289	1	0	62
Galgadud	Caabudwaaq	51	0	0	0
	Cadado	764	51	4	0
	Dhusamareb	533	24	16	0
South Mudug	Galkacyo South	51	0	0	0
	Hobyo	4 919	0	0	0
Hiraan	Beletweyne	5 236	108	145	0
Middle Shabelle	Cadale	264	12	0	67
Gedo	Balcad	339	102	0	0
	Jowhar	2 162	201	39	0
	Baardheere	152	54	0	0
	Doolow	48	0	252	0
	Ceel Waaq	154	1	0	0
	Garbahaarey	92	0	15	0
	Afmadow	6	0	0	0
	Badhaadhe	30	10	0	0
	Kismayo	1 250	106	25	0
Middle Juba	Bu'aale	163	60	0	0
Bari	Bossaso	730	3	16	0
	Qardho	0	0	0	33
Mudug	Jariiban	31	0	0	0
Sanag	Ceel Afwayn	273	0	0	0
Sool	Ceerigaabo	894	0	0	0
	Laas caanood	601	0	0	0
Togdheer	Buuhoodle	20	0	0	0
	Burco	251	0	0	0
	Oodwayne	401	0	0	0
Bakool	Ceel Barde	602	0	2	0
	Xudur	2 563	0	14	498
Bay	Baaydhawa	6 794	820	939	0
	Buurhakaba	517	0	1	0
	Diinsoor	7	0	29	0
	Qansaxdheere	1 519	0	158	0
Lower Shabelle	Baraawa	453	0	11	149
	Marka	6 627	66	232	204
	Qoryooley	2 057	0	65	0
	Wanlawayn	1 420	0	0	0
Totals		51 760	2 090	2 326	2 933

Note: The total number of cases reported on EWARN may change after verification by surveillance teams. a) Banadir is a region not a state.

b) Non reporting districts (Garowe, Hargeisa, Hudun, Bandarbayla, Luuq, Saakow, Galdogob, Zaylac, Gebiley, Lughaye, Taleex, Rabdhure and Eyle).