



CURRENT SITUATION

Somalia is affected by multiple hazards, such as floods, droughts and conflicts, throughout the year. While the country has had limited time to fully recover from them, the country has been affected by the coronavirus disease 2019 (COVID-19) pandemic. So far, severe drought has been reported in 47 districts, of which 13 are targeted for the Anticipatory Action and Rapid Response under the Central Emergency Response Fund (CERF), which aims to prevent disease outbreaks in these districts. According to the United Nations Office for the Coordination of Humanitarian Affairs (UN-OCHA), over 70,000 people displaced from Guri Ceel, Galmudug state and are in need of urgent humanitarian assistance. Severe drought resulted in the shortage of safe water and poor hygiene and sanitation among the affected populations, leading to more people being vulnerable to epidemic-prone diseases, particularly diarrhoeal disease and measles

DROUGHT KEY FACTS




Reported suspected cases of acute diarrhoeal disease cases, measles, SARI and malaria in drought-affected districts of Somalia, epidemiological weeks 1-43(01 January to 31 October 2021).



HEALTH SITUATION

42-43, 18 to 31 October 2021



Cholera in drought-affected districts

Recurrent outbreaks from cholera have been reported in the drought-affected districts of Somalia since 2017, with no interruption in transmission in most of the districts. Since the epidemiological week 1 of 2021, a total of 3 574 suspected cases of cholera, including 33 associated deaths (case fatality rate (CFR) 1.0%), were reported from 47 drought-affected districts. Of the 3 574 cases of cholera, 64% (2341) are children aged below 5 years. The districts reporting most of the cases are Daynile (882), Baydhawa (574) and Wadajir (742) (see Table 1). Of the 733 stool samples collected and analysed, 638 (87%) samples were tested positive for *Vibrio cholerae* 01 serotype Ogawa. Culture and sensitivity studies conducted in the National Public Health Reference Laboratory in Mogadishu showed that the *V. cholerae* serotype Ogawa isolate is sensitive to chloramphenicol and tetracycline but resistant to ampicillin and nalidixic acid.


ACUTE DIARRHOEAL DISEASES CASES

The number of new cases of acute diarrhoeal disease decreased in 2021 as compared to the previous years (Fig 1). This reduction in cases is linked to the implementation of additional Water Sanitation and Hygiene (WASH) interventions in drought-affected districts. Since epidemiological week 1 of 2021, a total of 63 573 cases of acute diarrhoeal disease were reported from drought-affected districts through the Early Warning and Response Network (EWARN). Of these, 68% (43 346) were children aged below 5 years. The districts reporting most of the cases are Baydhawa, Marka and Daynile (Table 1).

MEASLES UPDATES

The number of suspected cases of measles has increased in 2021 compared to the previous years (Fig. 2). This surge in cases is linked to a decrease in measles vaccination coverage of children aged below 5 years (Fig. 3). Since epidemiological week 1 of 2021, a total of 2 973 suspected cases of measles were reported from 47 drought-affected districts of whom 74% (2 223) are children aged below 5 years. The districts reporting the most cases include Baydhawa, Marka and Daynile (see Table 1). Of the 695 blood samples collected and analysed in the laboratories, 637 (92%) tested positive for measles-specific immunoglobulin M (IgM).

Fig. 3. Number of children under 1 year of age vaccinated against measles by month, 2018-2021



A total of 40 779 (76%) out of the targeted 53 239 children aged under 1 year received the first dose of measles-containing vaccine (MCV1) in drought-affected districts in August 2021 (Fig. 3). From June 2018 to June 2021, the measles vaccination coverage ranged between 58% and 84% per month.

POLIO UPDATES

- One new case of circulating vaccine-derived poliovirus type 2 (cVDPV 2) was reported from Salagle District, Middle Juba Region. Date of onset of the most recent cVDPV2 was 12 May, 2021.
- No new cVDPV2 isolated from ES samples reported this week. Only One cVDPV2 isolate was reported in 2021. Twenty-six (26) cVDPV2 isolates were reported from ES samples in 2020. Date of Sample collection of the last positive sample is 23, May 2021.
- 280 AFP cases (114 female and 166 male) have been reported in 2021. Of these 218 (78%) cases have laboratory test results available while 62 (22%) cases are awaiting laboratory test reports. Of the cases with lab results, there was one cVDPV2 and 217 were negative.

MALARIA UPDATES

The number of new confirmed cases of malaria decreased in 2021 compared to the previous years (Fig. 4). The reduction in cases is attributed to improved malaria preventive interventions in various districts. Since epidemiological week 1 of 2021, a total of 2 686 cases have been reported from 47 drought-affected districts (see Table 1). Of the 2 686 malaria cases reported, 1 723 (38%) were children aged below 5 years. The districts reporting most of the cases are Beletweyne, Daynile, Dolow, Baydhawa and Marka. The species- *Plasmodium falciparum* malaria accounts for 63% of all the reported malaria cases.

Fig. 1. Trends of acute diarrhoeal disease cases reported in drought-affected districts of Somalia,

42-43, 18 to 31 October 2021



63 573

Acute diarrhoea disease cases




Fig. 2. Trends of measles cases reported in drought-affected districts of Somalia, 2019-2021

42-43, 18 to 31 October 2021



2 973

Measles cases





Fig. 4. Trends of suspected malaria cases in drought-affected districts of Somalia, 2018-2021

42-43, 18 to 31 October 2021



2 686

Malaria cases



Influenza surveillance updates

The number of severe acute respiratory infection (SARI) cases reported through EWARN decreased in 2021 compared to the previous years (Fig. 2). Since epidemiological week 1, 2021, a total of 20 498 SARI cases reported from 47 drought affected district. The districts reporting most of the cases are Adado (3 977), Beletweyne (4 071) and Baidoa (2621) (Table 1). All the 13 samples from SARI cases tested negative for Influenza A and B.


Fig. 5. Trends of Severe acute respiratory infection cases reported in drought-affected districts of Somalia, 2019–2021

42-43, 18 to 31 October 2021



20 498

SARI cases



The Federal Ministry of Health and WHO monitor the trends of epidemic-prone diseases in drought-affected districts using the electronic-based EWARN. With support from the CERF and the World Bank, and in collaboration with state ministries of health, WHO is implementing activities aimed at preventing disease outbreaks, including the timely detection and response to alerts of epidemic-prone diseases reported among high-risk communities.

Table 1: Cumulative number of acute diarrhoeal disease cases, measles, SARI and malaria cases in drought-affected districts of Somalia (epidemiological weeks 1-43, 1 January to 31 October 2021)

Regions	Districts	Acute diarrhoeal disease	Measles cases	Malaria cases	SARI cases	Cholera cases
Banadir	Daynile	10285	530	394	810	842
	Hawal Wadag	65	1	0	82	98
	Hodan	87	10	0	0	558
	Kaxda	356	35	15	0	185
	Madina	428	33	1	207	742
	Waberi	609	49	0	87	76
	Yaqshid	432	6	9	665	2
Galgadud	Caabudwaaq	51	0	0	24	0
	Cadado	976	91	4	3977	0
	Dhusamareb	691	24	20	1293	0
South Mudug	Galkacyo South	51	0	0	23	0
	Hobyo	6494	3	0	684	0
Hiraan	Beletweyne	6141	127	200	4071	0
Middle Shabelle	Cadale	266	12	0	0	233
	Balcad	483	157	0	125	0
	Jowhar	2821	233	39	187	0
Gedo	Baardheere	195	54	14	45	0
	Doolow	48	0	252	115	0
	Ceel Waaq	154	1	0	3	0
	Garbahaarey	92	0	15	3	0
Lower Juba	Afmadow	6	0	0	21	0
	Badhaadhe	30	10	0	13	0
	Kismayo	1400	110	32	457	0
Middle Juba	Bu'aale	163	60	0	0	0
Bari	Bossaso	730	3	16	0	0
	Qardho	0	0	0	0	33
Mudug	Jariiban	31	0	0	0	0
Sanaag	Ceel Afwayn	273	0	0	112	0
	Ceerigaabo	1126	0	0	673	0
Sool	Laas caanood	703	2	0	42	0
Togdheer	Buuhoodle	20	0	0	0	0
	Burco	272	0	0	290	0
	Oodwayne	401	0	0	0	0
Bakool	Ceel Barde	602	0	2	703	0
	Xudur	3295	0	16	1080	0
Bay	Baaydhawa	8965	1202	1006	2621	574
	Buurhakaba	661	4	3	761	0
	Diinsoor	7	0	29	12	0
	Qansaxdheere	1947	18	296	360	0
Lower Shabelle	Baraawa	453	0	11	95	0
	Marka	7855	192	246	530	55
	Qoryooley	2187	3	66	258	176
	Wanlawayn	1721	3	0	69	0
Total		63573	2973	2686	20498	3574

Note: The total number of cases reported on EWARN may change after verification by surveillance teams. a) Banadir is a region not a state.

b) Non reporting districts (Garowe, Hargeisa, Hudun, Bandarbayla, Luuq, Saakow, Galdogob, Zaylac, Gebiley, Lughaye, Taleex, Rabdhure and Eyle).



World Health Organization-Somalia



somaliawho



@WHOSom