

Estimated proportion of TB cases that have MDR-TB, 27 high MDR-TB burden countries and WHO regions

	ESTIMATED % OF NEW TB CASES WITH MDR-TB*	CONFIDENCE INTERVAL	ESTIMATED % OF RETREATMENT TB CASES WITH MDR-TB*	CONFIDENCE INTERVAL
Armenia	9.4	7.0–12	43	38–49
Azerbaijan	22	19–27	56	50–62
Bangladesh	<i>2.1</i>	<i>1.7–2.5</i>	28	25–32
Belarus	26	24–28	60	58–63
Bulgaria	2.0	1.1–3.2	24	18–32
China	5.7	4.6–7.1	26	22–30
DR Congo	2.2	<i>0.1–5.3</i>	<i>9.4</i>	<i>1.9–17</i>
Estonia	18	13–24	44	32–58
Ethiopia	1.6	0.9–2.8	12	5.6–21
Georgia	9.5	8.2–11	31	27–35
India	2.1	1.5–2.7	15	13–17
Indonesia	1.8	1.1–2.7	17	8.1–26
Kazakhstan	14	11–18	45	44–47
Kyrgyzstan	<i>14</i>	<i>12–17</i>	39	35–43
Latvia	10	8.0–13	24	16–33
Lithuania	11	8.8–13	52	47–57
Myanmar	4.2	3.1–5.6	10	6.9–14
Nigeria	2.2	<i>0.1–5.3</i>	<i>9.4</i>	<i>1.9–17</i>
Pakistan	<i>3.4</i>	<i>0.8–6.0</i>	21	7.3–34
Philippines	4.0	2.9–5.5	21	14–29
Republic of Moldova	19	17–22	65	62–68
Russian Federation	18	16–19	46	41–52
South Africa	1.8	1.4–2.3	6.7	5.4–8.2
Tajikistan	17	11–24	62	53–70
Ukraine	16	14–19	44	40–49
Uzbekistan	14	11–19	49	42–56
Viet Nam	2.7	2.0–3.7	19	14–25
High MDR-TB burden countries	3.8	2.0–5.7	21	14–28
AFR	1.9	0.6–3.3	9.4	3.0–16
AMR	2.1	0.7–3.4	12	3.8–19
EMR	3.4	0.9–5.9	21	7.5–34
EUR	12	8.6–16	37	33–41
SEAR	2.1	1.7–2.5	17	17–18
WPR	4.9	3.6–6.1	23	20–27
Global	3.4	1.9–5.0	20	14–25

* Best estimates are for the latest available year. Estimates in italics are based on regional data.