



Highlights

- A total of 252,996 consultations were recorded in all the 14 governorates
- The leading causes of morbidity among all age groups were Influenza Like Illness 21,239 (60.42%) and Acute Diarrhea 6,693 (19.04%).
- A total of 22,900 suspected COVID-19 cases were reported by EWARS system, Most of the cases were reported from Aleppo (3,895), Al-Hasakeh (2,926) and Lattakia (2,918)
- MoH reported 901 confirmed cases of COVID-19, the cumulative number of COVID-19 confirmed cases is 53,527
- 8 AFP cases reported in Aleppo (3) Rural Damascus (2) Hama (1) Damascus (1) Deir-ez-Zor (1).
- 10 suspected measles cases in Aleppo (4) Idleb (3) Deir-ez-Zor (2) Al-Hasakeh (1)

Performance Indicators

- A total of 1,265 out of 1,417 active reporting sites (89.27%) in all 14 governorates of Syria reported through EWARS, with 93.83% timeliness among those sites providing data during the week (Figure 1)



Morbidity

- A total of 252,996 consultations were recorded in 1,265 health facilities in 14 governorates. Among them, 3,5151 cases were EWARS notifiable health conditions (Figure 2)
- The leading causes of morbidity among all age groups were Influenza Like Illness 21,239 (60.42%) and Acute Diarrhea 6,693 (19.04%).
- Of the 35,151 total reported cases, 50.83% (17,869) were female, and 37.13% (13,053) were children under 5 years old
- Children under 5 years of age 59.91% of cases are ILI, and ILI representing 60.72% of the cases above 5 years during this reporting period (Figure 3)
- The proportional morbidity of ILI is 8.39% and the upwards trend was observed: 0.11% from the previous week (Figure 4)
- The proportional morbidity of AD is 2.65% and the downwards trend was observed: -0.37% from the previous week (Figure 4)

Figure 3: Proportional morbidity by age group






Figure 4: Proportion of Morbidity of top 4 diseases among the total consultation by week



1. Waterborne Diseases

- There was 0 case of acute watery diarrhea (AWD)
- A total of 6,693 AD cases were reported during this week


Figure 5: Number of acute diarrhea by week



2. Vaccine Preventable Diseases

- 8 cases of acute flaccid paralysis (AFP) were reported in this week
- Number of suspected measles in the reporting week was (10) cases. Most cases were reported from Aleppo (4) Idlib (3) Deir-ez-Zor (2) Al-Hasakeh (1).


Figure 6: Suspected measles cases by week



3. Respiratory Diseases

- In total, 21,239 ILI cases were reported during week.
- In total, 1,661 SARI cases were reported, and the trend is shown in (Figure 7). Most of the cases were reported from Al-Hasakeh (316) Damascus (263) Aleppo (258) Tartous (196) Lattakia (154) Hama (105) Homs (100) As-Sweida (89) Deir-ez-Zor (58) Rural Damascus (48) Ar-Raqqa (41) Daraa (18) Quneitra (15)


Figure 7: SARI cases by week



4. Other Diseases

- 4,662 cases were reported as "other diseases" through EWARS. The health conditions with the highest incidents were Leishmaniasis (2,251) Lice (879) and Scabis (500)
- During this week, most of suspected leishmaniasis cases were reported from Aleppo (1,099) Al-Hasakeh (629) Hama (186)

Figure 8: Suspected Leishmaniasis cases by week



COVID-19

- As of 19 February 2021, a total of 53,527 confirmed cases – in 14 governorates, **Damascus (10143) (18.95%), Lattakia (9,315) (17.4%), Aleppo (8,309) (15.52%), Homs (5,758) (10.76%), Rural Damascus (4,928) (9.21%), Tartous (3,596) (6.72%), Dar'a (3,226) (6.03%), As-Sweida (2,886) (5.39%), Hama (2,651) (4.95%), Quneitra (977) (1.83%), Al-Hasakeh (895) (1.67%), Deir-ez-Zor (811) (1.52%), Ar-Raqqa (25) (0.05%), Idleb (7) (0.01%),**
- Number of deaths related to COVID-19 is 3,047 in 11 governorates, CFR 5.7%
- A total of 22,900 suspected COVID-19 cases were reported by EWARS system, in this week. Most of cases were reported from Aleppo (3,895), Al-Hasakeh (2,926) and Lattakia (2,918)
- 2376 cases are Sum of Active (4.44%), 48061 cases are Sum of Recovery (89.79%).

Figure 9: Confirmed COVID-19 cases by outcome





Figure 10: Suspected and confirmed COVID-19 cases by week



Comparison with Previous Week by Health

DiseaseName	22W04	22W05	22W06	22W07	Total
Acute bloody diarrhea	98	64	95	44	301
Acute Diarrhea	6,141	6,610	7,412	6,693	26,856
Acute Flaccid Paralysis	3	5	10	8	26
Acute Watery diarrhea (suspected cholera)	0	0	0	0	0
Brucellosis	68	115	133	192	508
chicken pox	179	174	221	221	795
Influenza Like Illness	13,102	18,801	20,298	21,239	73,440
Leishmaniasis	764	2,443	2,287	2,251	7,745
Lice	521	703	787	879	2,890
Measles and Rubella	9	13	12	10	44
Meningitis	42	34	25	32	133
Mumps	85	88	82	71	326
Others	63	291	380	320	1,054
Pertussis	155	114	148	131	548
SARI	984	1,161	1,177	1,661	4,983
Scabis	305	375	434	500	1,614
Suspected Hepatitis (Jaundice)	692	729	841	671	2,933
Tuberculosis	5	57	57	54	173
Typhoid Fever	165	152	163	174	654
Total	23,381	31,929	34,562	35,151	125,025

Case Distribution by Age Group, and by Governorate

Week 2022 Week 07 (13 - 19 February 2022)

DiseaseGroup	Aleppo	Al-Hasakeh	Ar-Raqqa	As-Sweida	Damascus	Daraa	Deir-ez-Zor	Hama	Homs	Idleb	Lattakia	Quneitra	Rural Damascus	Tartous	Total
▼ Priority Diseases	5,154	3,662	940	308	1,347	846	3,245	413	949	4,680	3,445	869	2,242	2,258	30,358
Suspected Hepatitis (Jaundice)	132	7	161	0	14	11	92	25	25	52	36	2	21	93	671
Less than 5 years	50	1	90	0	5	4	53	4	6	23	11	1	4	0	252
5 years or more	82	6	71	0	9	7	39	21	19	29	25	1	17	93	419
SARI	258	316	41	89	263	18	58	105	100	0	154	15	48	196	1,661
Less than 5 years	59	102	18	0	64	0	28	47	3	0	8	0	5	24	358
5 years or more	199	214	23	89	199	18	30	58	97	0	146	15	43	172	1,303
Meningitis	5	0	4	0	1	2	3	0	0	13	0	0	2	2	32
Less than 5 years	3	0	3	0	0	0	0	0	0	4	0	0	1	1	12
5 years or more	2	0	1	0	1	2	3	0	0	9	0	0	1	1	20
Measles and Rubella	4	1	0	0	0	0	2	0	0	3	0	0	0	0	10
Less than 5 years	2	1	0	0	0	0	1	0	0	0	0	0	0	0	4
5 years or more	2	0	0	0	0	0	1	0	0	3	0	0	0	0	6
Influenza Like Illness	3,637	2,610	524	183	875	590	2,184	121	665	2,846	2,764	746	1,806	1,688	21,239
Less than 5 years	1,280	961	249	28	226	192	1,105	77	228	1,417	821	244	679	313	7,820
5 years or more	2,357	1,649	275	155	649	398	1,079	44	437	1,429	1,943	502	1,127	1,375	13,419
Acute Watery diarrhea (suspected cholera)	0	0	0			0	0		0				0		0
Less than 5 years	0	0	0			0	0		0						0
5 years or more		0				0			0				0		0
Acute Flaccid Paralysis	3	0	0	0	1	0	1	1	0	0	0	0	2	0	8
Less than 5 years	2	0	0	0	0	0	1	1	0	0	0	0	1	0	5
5 years or more	1	0	0	0	1	0	0	0	0	0	0	0	1	0	3
Acute Diarrhea	1,115	725	196	36	193	216	887	161	159	1,766	491	106	363	279	6,693
Less than 5 years	519	365	120	16	73	97	592	85	86	884	230	33	171	91	3,362
5 years or more	596	360	76	20	120	119	295	76	73	882	261	73	192	188	3,331
Acute bloody diarrhea	0	3	14	0	0	9	18	0	0	0	0	0	0	0	44
Less than 5 years	0	1	5	0	0	5	17	0	0	0	0	0	0	0	28
5 years or more	0	2	9	0	0	4	1	0	0	0	0	0	0	0	16
Other Diseases	1,476	887	35	8	40	102	536	295	113	963	148	46	95	49	4,793
Typhoid Fever	10	1	16	0	0	5	69	2	1	66	0	0	4	0	174
Less than 5 years	2	0	2	0	0	0	5	0	0	38	0	0	0	0	47
5 years or more	8	1	14	0	0	5	64	2	1	28	0	0	4	0	127
Tuberculosis	23	0	0	0	4	0	0	0	0	3	22		1	1	54
Less than 5 years	0	0	0	0	1	0	0	0	0	1			0	0	2
5 years or more	23	0	0	0	3	0	0	0	0	2	22		1	1	52
Scabis	105	28	0	6	24	20	119	15	16	120	18	1	17	11	500
Less than 5 years	9	6	0	0	1	2	11	1	3	49	2	1	1	1	87
5 years or more	96	22	0	6	23	18	108	14	13	71	16	0	16	10	413
Pertussis	1	0	3	0	0	0	53	0	1	73	0	0	0	0	131
Less than 5 years	1	0	2	0	0	0	40	0	1	37	0	0	0	0	81
5 years or more	0	0	1		0	0	13	0	0	36	0		0	0	50
Others	1	193	0	0	1	51	20	1	17	0	5	6	25	0	320
Less than 5 years	1	89	0	0	0	4	5	0	5	0	2	3	3	0	112
5 years or more	0	104	0	0	1	47	15	1	12	0	3	3	22	0	208
Mumps	2	0	0	0	0	0	5	0	1	61	0	0	1	1	71
Less than 5 years	0	0	0	0	0	0	2	0	0	4	0	0	1	0	7
5 years or more	2	0	0	0	0	0	3	0	1	57	0	0	0	1	64
Lice	126	31	0	0	3	22	74	74	12	384	78	35	19	21	879
Less than 5 years	21	14	0	0	2	2	10	11	2	142	0	7	7	0	218
5 years or more	105	17	0	0	1	20	64	63	10	242	78	28	12	21	661
Leishmaniasis	1,099	629	11	1	5	0	109	186	38	124	25	0	9	15	2,251
Less than 5 years	183	208	3	0	0	0	33	31	1	62	0	0	1	0	522
5 years or more	916	421	8	1	5	0	76	155	37	62	25	0	8	15	1,729
chicken pox	10	3	0	0	0	1	45	0	26	125	0	4	7	0	221
Less than 5 years	6	2	0	0	0	1	11	0	1	46	0	2	3	0	72
5 years or more	4	1	0	0	0	0	34	0	25	79	0	2	4	0	149
Brucellosis	99	2	5	1	3	3	42	17	1	7	0	0	12	0	192
Less than 5 years	49	1	0	0	0	0	11	1	0	1	0	0	1	0	64
5 years or more	50	1	5	1	3	3	31	16	1	6	0	0	11	0	128
Total	6,630	4,549	975	316	1,387	948	3,781	708	1,062	5,643	3,593	915	2,337	2,307	35,151